



DOOR-FRAMES, THRESHOLDS

DOOR-FRAME AND THRESHOLD FOR THE 72 GROUP


asymmetric



stainless threshold




STAINLESS THRESHOLD 72




DOOR-FRAME AND THRESHOLD FOR THE 55 AND 55.2 GROUP


asymmetric




„warm“ threshold




aluminum threshold




corner




„warm“ threshold




„WARM“ THRESHOLD




symmetric



„warm“ threshold




ALUMINUM THRESHOLD




DOOR-FRAME AND THRESHOLD FOR THE 48 GROUP


asymmetric




„warm“ threshold




aluminum threshold




corner



„warm“ threshold




STAINLESS THRESHOLD DS




DOOR-FRAME AND THRESHOLD FOR THE TWO-LEAF DOORS

asymmetric




stainless threshold




DOOR-FRAME AND THRESHOLD FOR THE 42 STANDARD AND TECHNICAL DOORS


asymmetric




„warm“ threshold




aluminum threshold




corner



„warm“ threshold



aluminum threshold



HANDLES

HANDLE NIAGARA - AXA

FOR THE EXTERNAL AND INTERNAL DOORS

INOX



TITAN



OLD GOLD



INOX



TITAN



OLD GOLD



HANDLE DIVA - AXA BURGLARPROOF CLASS 3

FOR THE EXTERNAL AND INTERNAL DOORS
WITH SPECIAL PROTECTION

INOX



TITAN



OLD GOLD



INOX



TITAN



OLD GOLD



HANDLE ZEUS - MAR-TOM

FOR THE EXTERNAL AND INTERNAL DOORS

SATINA NICKEL



PATINA



HANDLE PROXIMA - MAR-TOM

FOR THE EXTERNAL AND INTERNAL DOORS

STEEL SHEET



HANDLE KASTOR - MAR-TOM

FOR THE EXTERNAL AND INTERNAL DOORS

SATINA



PATINA



HANDLE ORION - MAR-TOM

FOR THE EXTERNAL AND INTERNAL DOORS
WITH SPECIAL PROTECTION
LACQUERED PATINA



HANDLE SANDRA - MAR-TOM

FOR THE EXTERNAL AND INTERNAL DOORS

WHITE



BROWN



HANDLE - PLUG NIAGARA - AXA

FOR THE EXTERNAL AND INTERNAL DOORS

INOX



LOCK INSERTS

LOCK INSERT

LOCK INSERT WITH KNOB

LOCK INSERT system on one key

LOCK INSERT system on one key 6.2.B category

LOCK INSERT system on one key 6.2.C category

VIEWFINDER

- nickiel
- brass

- nickiel
- brass

- nickiel
- brass

- nickiel

- nickiel

- silver
- gold



BOLT/HANDLE OF ON-SIDE


SPECEFICATION:

- from the stainless steel
- the length of the bolt/handle 1000 mm
- used only in the MODERN and MODERN SILVER types

Equipment:

- bolt/handle of on-side
- handle-plug in inox colour
- top singboard


Installation of the bolt/handle




TECHNICAL INFORMATION

RIGHT DOORS

If we see hinges of the right side.




home interior




right door
opening outside

LEFT DOORS

If we see hinges of the left side.



home interior




left door
opening inside

If you choose ZEUS or ORION handle it is necessary to chose handle (right or left) dependent on types and installation of the door


right door opening inside	right door opening outside	left door opening outside	left door opening inside
left handle	right handle	left handle	right handle

TECHNICAL INFORMATION - SIZES


VERTICAL PROFILE OF DOOR "LEVEL 0"



VERTICAL PROFILE OF TECHNICAL DOOR



TIER PROFILE OF DOOR



Group of Products	Variety of Door	Door Sizes							The required hole for the montage of door					
		Height of leaf [mm]	Width of leaf [mm]	Thickness of leaf [mm]	Height passage [mm]	Width lumen [mm]	Total height of door-frame	Total width [mm]	Asymmetric door-frame [mm]		Corner door-frame [mm]		Symmetric door-frame [mm]	
		H _z	S _z	g	H _p	S _{pd}	H _o	S _c	A	B	A	B	A	B
„42” Level 0	80	2037	850	42	2002	801	2073	901	2065	884	2046	847	-	-
	90E	2037	950	42	2002	901	2073	1001	2065	984	2046	947	-	-
„42 UNI”	80	2037	850	42	2002	801	2090	901	2065	884	2046	847	-	-
	90E	2037	950	42	2002	901	2090	1001	2065	984	2046	947	-	-
	100E	2037	1050	42	2002	1001	2090	1101	2065	1084	2046	1047	-	-
„48” Level 0	80	2037	850	48	2002	801	2073	901	2065	884	2046	847	-	-
	90E	2037	950	48	2002	901	2073	1001	2065	984	2046	947	-	-
„55” „55,2” Level 0	80	2037	850	55	2002	801	2073	901	2065	884	2046	847	2080	915
	90E	2037	950	55	2002	901	2073	1001	2065	984	2046	947	2080	1015
	100E	2037	1050	55	2002	1001	2073	1101	2065	1084	2046	1047	2080	1115
„55DS” Level 0	120E	2037	1250	55	2002	1200	2073	1300	2065	1284	-	-	-	-
	140E	2037	1450	55	2002	1400	2073	1500	2065	1484	-	-	-	-
„72” Level 0	90E	2051	947	72	2002	901	2083	1001	2075	984	-	-	-	-

The producer recommends roofing for the door to protect against excessive sunlight. Recommended installation is opening the door on the outside because it has a significant impact on the safety and aesthetic value.

This publication is does not constitute an offer and has only information purposes.

- The company reserves the right to change or improve the product contain in catalogue without information and reserves the right to have errors in print
- Sample color can be different from the actual.
- The information concerning the purpose and exploitation of products are containing in warranty card.
- The producer offers 24 months of guarantee.

DOOR AFTER THE REDUCING OF LENGTH WITH MASKING SECTION





MAR - TOM Sp. z o.o.

28 - 300 Jędrzejów, Jasionka 90

tel. +48 41 387 81 74

+48 41 242 19 04

+48 41 242 19 05

fax +48 41 312 69 91

e-mail: biuro@mar-tom.com

www.mar-tom.com

AUTHORIZED PARTNER:

A large, empty rectangular box with rounded corners, intended for the signature of an authorized partner.

AUTHORIZED POINT OF SALE:

A large, empty rectangular box with rounded corners, intended for the signature of an authorized point of sale.